CONTENTS VOLUME 18

4. POLYPYRROLE, POLYTHIOPHENE, AND ANALOGUES

Chemistry and conductivity of some salts of polypyrrole 1
G. Wegner, W. Wernet, D.T. Glatzhofer, J. Ulanski, Ch. Kröhnke and M. Mohammadi (Mainz, F.R.G.)

Charging capacitive effect in conducting polymers in relation with the electrochemical doping 7
J. Tanguy, N. Mermilliod and M. Hoclet (Gif-sur-Yvette, France)

Conducting polypyrrole electrochemically prepared from aqueous solutions . 13
Renyuan Qian, Jinjin Qiu and Deyan Shen (Beijing, The People's Republic of China)

Growth instability in diffusion controlled polymerization 19
J.H. Kaufman, O.R. Melroy, F.F. Abraham, A.I. Nazzal (San Jose, CA, U.S.A.) and A. Kapitulnik (Stanford, CA, U.S.A.)

Synthesis and characterization of conducting cyclic polymers containing Mössbauer nuclei 25
A. Pron (Warsaw, Poland), J. Suwalski (Świerk, Poland) and S. Lefrant (Nantes, France)

Growth of polypyrrole film on a mercury electrode 31
B. Kaye and A.E. Underhill (Bangor, U.K.)

Synthesis and properties of polypyrrole prepared by electrochemical polymerization of α-bipyrrole 37
H. Lindenberger, D. Schäfer-Siebert, S. Roth (Stuttgart, F.R.G.) and M. Hanack (Tübingen, F.R.G.)

Synthesis and spectroscopic characterization of polypyrrole containing ferrous cyanide anions 43
M. Zagorska, A. Pron (Warsaw, Poland), S. Lefrant (Nantes, France), Z. Kucharski, J. Suwalski (Świerk, Poland) and P. Bernier (Montpellier, France)

Polypyrrole films grown on the surface of a polyvinyl-ferric chloride complex 49
A. Pron, W. Fabianowski, C. Budrowski (Warsaw, Poland), J.B. Raynor (Leicester, U.K.), Z. Kucharski, J. Suwalski (Świerk, Poland), S. Lefrant and G. Fatseas (Nantes, France)

Electrochemical polymerization of pyrrole in aqueous solutions 53
M. Takakubo (Tokyo, Japan)

Local structure of conducting polypyrrole bromide 59
H. Oyanagi, M. Tokumoto, T. Ishiguro (Ibaraki, Japan), M. Ogasawara, K. Funahashi and K. Iwata (Tokyo, Japan)

Structural characterisation of conducting polymers by small angle neutron scattering 65
Yueqiang Shen, K. Carneiro (Copenhagen, Denmark), T. Freltoft (Roskilde, Denmark) and Renyuan Qian (Beijing, China)

Electronic structure of pyrrole-based conducting polymers 71
J. Fink, B. Scheerer (Karlsruhe, F.R.G.), W. Wernet, M. Monkenbusch, G. Wegner (Mainz, F.R.G.), H.J. Freund and H. Gonska (Erlangen, F.R.G.)

Characterisation of the transport properties of conducting polypyrrole films 77
Yueqiang Shen, K. Carneiro (Copenhagen, Denmark), C. Jacobsen (Lyngby, Denmark), Renyuan Qian and Jinjin Qiu (Beijing, China)

Electric conductivity and thermoelectric power of various polypyrroles .. 85
K. Bender, E. Gogu, I. Hennig, D. Schweitzer (Heidelberg, F.R.G.) and H. Münstedt (Ludwigshafen, F.R.G.)

ESR investigation of polarons and bipolarons in conducting polymers: the case of polypyrrole 89
F. Devreux, F. Genoud, M. Nechtschein and B. Villeret (Grenoble, France)

The physical and electrical properties of copolymers of polypyrrole 95
J.R. Reynolds, P.A. Poropatic and R.L. Toyooka (Arlington, TX, U.S.A.)

Effect of organic dopants on electrical conductivity of polypyrrole films 101
S. Kuwabata, K.-I. Okamoto, O. Ikeda and H. Yoneyama (Osaka, Japan)

AC impedance analysis of polypyrrole films 105
M.J. van der Sluijs, A.E. Underhill and B.N. Zaba (Bangor, U.K.)

Conducting polymer film electrode with catalytic sites 111
F. Mizutani, S. Iijima, Y. Tanabe and K. Tsuda (Tsukuba, Japan)

Semiconductors constituted of five-membered heteroarylene vinylene units: polymerization and doping 117
A. Berlin, S. Bradamante, R. Ferraccioli, G.A. Pagani and F. Sannicolo' (Milan, Italy)

Synthesis and physico-chemical characterization of conducting polymers from heteroaromatic bicyclic compounds 123
R. Lazzaroni, A. de Prijck, J. Riga, J. Verbist (Namur, Belgium), C. Bonhomme, F. Brose, L. Christiaens and M. Renson (Liège, Belgium)

Polythiazole: a new semiconducting polymer having a heteroatom in the conduction pathway 129
A. Bolognesi, M. Catellani, S. Destri and W. Porzio (Milan, Italy)

Electrical and optical properties of polaronic states in conducting polymer, polythiophene 133
K. Kaneto and K. Yoshino (Osaka, Japan)

Enhancement of the mean conjugation length in conducting polythiophenes . 139
J. Roncali, F. Garnier (Thiais, France) M. Lemaire and R. Garreau, (Paris, France)

Electrochemical polymerization of thiophene under ultrasonic field 145
S. Osawa, M. Ito, K. Tanaka and J. Kuwano (Tokyo, Japan)

Vibrational key bands and electrical conductivity of polythiophene 151
Y. Furukawa, M. Akimoto and I. Harada (Sendai, Japan)

Electroconducting polymers derived from unbridged, heterobridged, anellated thiophene units 157
A. Berlin, G.A. Pagani and F. Sannicolo' (Milan, Italy)

Investigation of thiophene-based conducting polymers by electron diffraction and by electron energy-loss spectroscopy 163
J. Fink, N. Nücker, B. Scheerer (Karlsruhe, F.R.G.) and H. Neugebauer (Vienna, Austria)

^{13}C CP-MAS NMR and FTIR studies of polythiophenes 169
J.-E. Osterholm, P. Sunila (Kulloo, Finland) and T. Hjertberg (Göteborg, Sweden)

Optical, electrical and structural comparative study of polycondensed thiophene based polymers 177
C. Taliani, R. Danieli, R. Zamboni, P. Ostoja (Bologna, Italy) and W. Porzio (Milan, Italy)

Photoinduced absorption and resonant Raman scattering of polythiophene .. 183
Z. Vardeny, E. Ehrenfreund, O. Brafman (Haifa, Israel), A.J. Heeger and F. Wudl (Santa Barbara, CA, U.S.A.)

Studies on iodine doped thiophene oligomers 189
Yong Cao, Ding Guo, Mei Pang and Renyuan Qian (Beijing, The People's Republic of China)

Pauli and Curie susceptibilities of polythiophene 195
K. Mizoguchi, K. Misoo, K. Kume (Tokyo, Japan), K. Kaneto, T. Shiraishi and K. Yoshino (Osaka, Japan)

Photoluminescence and optically detected magnetic resonance in polythiophene 199
J. Shinar, Z. Vardeny, E. Ehrenfreund and O. Brafman (Haifa, Israel)

Bipolaron state in polythiophene and polypyrrole due to doubly-charged anion dopant 203
Y. Yumoto, K. Morishita and S. Yoshimura (Kawasaki, Japan)

Degradation of polythiophene film by doping-undoping cycle 207
Y. Takenaka, T. Koike, T. Oka, M. Tanahashi (Kyoto, Japan), K.-I. Kaneto and K. Yoshino (Osaka, Japan)

Synthesis and properties of $FeCl_4$-doped polythiophene 213
J.-E. Osterholm, P. Passiniemi (Kulloo, Finland), H. Isotalo and H. Stubb (Espoo, Finland)

Resonance Raman scattering on poly(3-methylthiophene) 219
E.F. Steigmeier, H. Auderset, W. Kobel and D. Baeriswyl (Zurich, Switzerland)

Optical spectra and electronic structure of poly(3-methylthiophene) 225
S. Hasegawa, K. Kamiya, J. Tanaka and M. Tanaka (Nagoya, Japan)

Soluble conducting polymers by electrochemical polymerization of thiophenes having long alkyl substituents 229
M.-A. Sato, S. Tanaka and K. Kaeriyama (Ibaraki, Japan)

Electrochemical preparation of conducting polyalkylthiophene films 233
K. Kaeriyama, M. Sato and S. Tanaka (Ibaraki, Japan)

Poly(thienylpyrrole)—preparation and properties 237
S. Naitoh (Tokyo, Japan)

New findings on poly[(2,2'-dithienyl)-5,5'diylvinylene] (PDTE) 241
M. Bragadin, P. Cescon (Venice, Italy), A. Berlin, G.A. Pagani and F. Sannicolo' (Milan, Italy)

Properties of free standing and composite conducting heterocyclic polymer films prepared utilizing Lewis acids as catalysts 247
R. Sugimoto, H.B. Gu, S. Hayashi and K. Yoshino (Osaka, Japan)

X-ray photoelectron spectra of polycarbazole.BF_4^- and polypyrene.BF_4^- ... 253
S. Hino (Chiba, Japan)

Rechargeable polypyrrole/lithium cells 259
H. Münstedt, G. Köhler, H. Möhwald, D. Naegele (Ludwigshafen am Rhein, F.R.G.), R. Bitthin, G. Ely and E. Meissner (Kelkheim, F.R.G.)

On the question of metallic "poly(carbon diselenide)" 265
Y. Okamoto, L.S. Choi (Brooklyn, NY, U.S.A.), Z. Iqbal and R.H. Baughman (Morristown, NJ, U.S.A.)

Processible, environmentally stable, highly conductive forms of polythiophene 277
R.L. Elsenbaumer, K.Y. Jen, G.G. Miller and L.W. Shacklette (Morristown, NJ, U.S.A.)

5. POLYANILINE AND ANALOGUES

Polyaniline: a new concept in conducting polymers 285
A.G. MacDiarmid, J.C. Chiang, A.F. Richter (Philadelphia, PA, U.S.A.) and A.J. Epstein (Columbus, OH, U.S.A.)

Electronic structure of some polyanilines 291
W.R. Salaneck, I. Lundström (Linköping, Sweden), T. Hjertberg (Göteborg, Sweden), C.B. Duke, E. Conwell, A. Paton (Webster, NY, U.S.A.), A.G. MacDiarmid, N.L.D. Somasiri, W.S. Huang and A.F. Richter (Philadelphia, PA, U.S.A.)

Polyaniline is poly-para-phenyleneamineimine: proof of structure by synthesis 297
D. Vachon, R.O. Angus Jr., F.L. Lu, M. Nowak, Z.X. Liu, H. Schaffer, F. Wudl and A.J. Heeger (Santa Barbara, CA, U.S.A.)

Insulator-to-metal transition in polyaniline 303
A.J. Epstein, J.M. Ginder, F. Zuo (Columbus, OH, U.S.A.), R.W. Bigelow (Webster, NY, U.S.A.), H.-S. Woo, D.B. Tanner (Gainesville, FL, U.S.A.), A.F. Richter, W.-S. Huang and A.G. MacDiarmid (Pennsylvania, PA, U.S.A.)

Water effects in polyaniline: NMR and transport properties 311
M. Nechtschein, C. Santier, J.P. Travers, J. Chroboczek, A. Alix and M. Ripert (Grenoble, France)

Synthesis and properties of electrically conducting polymers from aromatic amines 317
T. Hagiwara, T. Demura and K. Iwata (Tokyo, Japan)

Electrochemical polymerization of aniline 323
Baochen Wang, Jisong Tang and Fosong Wang (Jilin, The People's Republic of China)

Theoretical studies on models of polyaniline 329
R.R. Chance and D.S. Boudreaux (Morristown, NJ, U.S.A.)

Electronic structure of polyaniline and substituted derivatives 335
P. Snauwaert, R. Lazzaroni, J. Riga and J.J. Verbist (Namur, Belgium)

"Polyaniline": formation reaction and structure 341
A. Kitani, M. Kaya, J. Yano, K. Yoshikawa and K. Sasaki (Higashi-Hiroshima, Japan)

Raman and infrared spectra of polyaniline 347
M. Ohira, T. Sakai, M. Takeuchi, Y. Kobayashi and M. Tsuji (Tokyo, Japan)

In situ spectro-electrochemical studies of polyaniline 353
H. Kuzmany and N.S. Sariciftci (Vienna, Austria)

Electrochemical characterization of chemically synthesized polyanilines . 359
N. Mermilliod, J. Tanguy, M. Hoclet (Gif-sur-Yvette, France) and A.A. Syed (Mysore, India)

Electrochemical studies of polyaniline and its application 365
K. Okabayashi, F. Goto, K. Abe and T. Yoshida (Aichi, Japan)

Electrically conducting polytriphenylamines 371
Y. Ohsawa, M. Ishikawa, T. Miyamoto, Y. Murofushi and M. Kawai (Yokosuka, Japan)

Electrochemical properties of the polymer films prepared by electrochemical polymerization of aromatic compounds with amino groups 375
N. Oyama and T. Ohsaka (Tokyo, Japan)

A new simple synthesis of electroconducting triphenodithiazine 381
C. Della Casa, P. Costa Bizzarri and F. Andreani (Bologna, Italy)

Defect states in polyaniline 387
S. Stafström (Linköping, Sweden)

Polyaniline: electrochemistry and application to rechargeable batteries . 393
A.G. MacDiarmid, L.S. Yang, W.S. Huang and B.D. Humphrey (Philadelphia, PA, U.S.A.)

Electrochemical doping of poly[4-(*N*,*N*-diphenylamino)phenylmethyl methacrylate], and rectification and photovoltaic properties 399
Y. Shirota, N. Noma and H. Mikawa (Osaka, Japan)

6. POLYDIACETYLENE

Spectroscopic study of electronic phase-transition in polydiacetylenes .. 407
Y. Tokura, T. Kanetake, K. Ishikawa and T. Koda (Tokyo, Japan)

New polymerization technique for diacetylenes in the frozen state 413
K. Takeda and M. Hasegawa (Tokyo, Japan)

Acceptor-type polydiacetylene——synthesis and electric conduction 417
K. Naito and M. Okamoto (Kawasaki, Japan)

Structure and disorder of polydiacetylene: poly(4BCMU) 423
Y. Takahashi, T. Zakoh, K. Inoue, H. Ohnuma and T. Kotaka (Osaka, Japan)

ESR studies of polydiacetylene and related materials 427
M.T. Jones, S. Jansen, J. Roble (St. Louis, MO, U.S.A.), D.J. Sandman and C.S. Velazquez (Waltham, MA, U.S.A.)

Electrical properties of I_2-doped polydiacetylene 431
F. Ebisawa, T. Kurihara and H. Tabei (Tokai-mura, Japan)

Electrical properties of urethane-substituted polydiacetylene 437
S. Yamao, K. Se and T. Kotaka (Osaka, Japan)

Dependence of excitation wavelength and intensity on the spectrum and decay of the time-resolved reflectance change of polydiacetylene single crystals 441
T. Kobayashi and H. Ikeda (Tokyo, Japan)

Absorption spectra of chemically modified soluble poly-diacetylene 447
S. Yamao and T. Kotaka (Osaka, Japan)

Inherent phase transition and polymerization mechanism in irradiated diacetylene crystal: 1,6-(*N*-carbazolyl)-2,4-hexadiyne (DCH) 453
T. Matsuyama, N. Achiwa, H. Yamaoka (Osaka, Japan), M. Ohoka and M. Yamamoto (Kyoto, Japan)

Nonlinear spectroscopy in polydiacetylenes 459
P.-A. Chollet, F. Kajzar and J. Messier (Gif-sur-Yvette, France)

Inclusion polymerization of 1,3-butadiyne in deoxycholic acid and apocholic acid canals 465
H. Tsutsumi, K. Okanishi, M. Miyata and K. Takemoto (Osaka, Japan)

7. PYROPOLYMERS AND GRAPHITES

New polyconjugated systems for intrinsically conductive polymers 473
S. Yoshimura, M. Murakami, H. Yasujima, S. Mizogami (Kawasaki, Japan) and S. Iijima (Nagoya, Japan)

Polymetacyclophane: a new class of polyconjugated systems 479
S. Mizogami, S. Naitoh and S. Yoshimura (Kawasaki, Japan)

An approach to the preparation of one-dimensional graphite 485
M. Ozaki, Y. Ikeda and I. Nagoya (Tokyo, Japan)

Properties and structures of graphite fibers prepared from cyanoacetylene 491
S. Fukuda, J. Tsukamoto, A. Takahashi and K. Matsumura (Tokyo, Japan)

Preparation of graphite film by pyrolysis of polymers 497
T. Ohnishi, I. Murase, T. Noguchi and M. Hirooka (Tokyo, Japan)

Preparation and properties of graphite grown in vapor phase 503
H. Matsubara, Y. Yamaguchi, J. Shioya and S. Murakami (Tokyo, Japan)

Highly conductive pyropolymer and high-quality graphite from polyoxadiazole 509
M. Murakami and S. Yoshimura (Kawasaki, Japan)

Electrical conductivity and thermoelectric power in polyacenic materials. 515
H. Ueno, G. Ishii, K. Yoshino, S. Yata (Osaka, Japan), K. Tanaka and T. Yamabe (Kyoto, Japan)

ESR study of in situ doped polyacenic semiconductive material with iodine and bromine 521
K. Tanaka, T. Koike, H. Nishino, T. Yamabe, J. Yamauchi, Y. Deguchi (Kyoto, Japan) and S. Yata (Osaka, Japan)

Electrical properties of pyrolytic polyoxadiazole 527
H. Yasujima, M. Murakami and S. Yoshimura (Kawasaki, Japan)

Morphology and polymerization mechanism of one-dimensional graphite polymer, poly-peri-naphthalene 531
M. Murakami (Kawasaki, Japan)

Electrochemical lithium intercalation of carbon fibers 537
T. Kitamura, T. Miyazaki and T. Kawagoe (Tokyo, Japan)

High field magnetic behaviour of a first stage graphite intercalation compound with $CoCl_2$ 543
R. Yazami (Saint-Martin-d'Hères, France) and G. Chouteau (Grenoble, France)

Some novel graphite intercalation compounds with involatile fluorides: intercalation mechanism and in-plane electrical conductivity 549
H. Touhara, K. Kadono, H. Imoto, N. Watanabe (Kyoto, Japan), A. Tressaud and J. Grannec (Talence, France)

Crystal chemistry and conductivity behavior of new graphite/metal fluoride intercalation compounds 555
A. Tressaud, J. Grannec, B. Hun, S. Flandrois and C. Hauw (Talence, France)

Synthesis and characterization of black phosphorus intercalation compounds 559
T. Nishii (Mie, Japan), Y. Maruyama, T. Inabe (Aichi, Japan) and I. Shirotani (Hokkaido, Japan)

Electrical conductivity, mechanical properties and stability of intercalated graphite fibers 565
Ph. Touzain, G.R. Bagga and S. Blazewicz (Saint-Martin-d'Hères, France)

8. ION IMPLANTATIONS

Implantation of polymers with conjugated bonds with H_2^+ ions 575
A. Kuczkowski and J. Liwo (Gdańsk, Poland)

Ion implantation of polymeric phthalocyanines 581
A.J. Dann, M.R. Fahy, M.R. Willis (Nottingham, U.K.) and C. Jeynes (Guildford, U.K.)

Ion beam modification of conducting polymers 585
T. Wada, A. Takeno, M. Iwaki and H. Sasabe (Saitama, Japan)

Radiation induced effect in conducting polymers 591
S. Hayashi, S. Takeda, K. Kaneto, K. Yoshino and T. Matsuyama (Osaka, Japan)

Substitutional doping in polysilane (SiH)n 597
S. Ikehata (Tokyo, Japan) and T. Iwata (Ibaraki, Japan)

Positron annihilation in (SN)x 601
Y. Suzuki, S. Ishibashi, S. Matsusaki, M. Doyama and I. Nakata (Tokyo, Japan)

Novel quasi-one-dimensional solids with pseudo-$(SN)_x$ bundle-structure ... 605
M. Mégnamisi-Bélombé (Yaoundé, Cameroon)

9. APPLICATIONS

Secondary batteries with electroactive polymer electrodes 611
L.W. Shacklette, M. Maxfield, S. Gould, J.F. Wolf, T.R. Jow and R.H. Baughman (Morristown, NJ, U.S.A.)

(CH)x/(CH)x battery with unsymmetrical tetraalkyl ammonium salt 619
Y. Kobayashi, T. Shishikura, H. Nakamura, H. Konuma (Tokyo, Japan) and K. Fuzita (Ibaraki, Japan)

Electrochemical stability of electrosynthesized heterocyclic semiconducting polymers as cathode-active materials in advanced batteries 625
A. Corradini, M. Mastragostino (Bologna, Italy), A.S. Panero, P. Prosperi and B. Scrosati (Rome, Italy)

Polyaniline, spectroelectrochemistry, display and battery 631
E.M. Geniès, M. Lapkowski, C. Santier and E. Vieil (Grenoble, France)

Critical aspects of organic polymer batteries 637
P. Passiniemi and J.-E. Österholm (Kulloo, Finland)

Polymer battery employing polyacenic semiconductor 645
S. Yata, Y. Hato, K. Sakurai, T. Osaki (Osaka, Japan), K. Tanaka and T. Yamabe (Kyoto, Japan)

Polyacetylene batteries—scaling up and problems 649
T. Nagatomo, C. Ichikawa and O. Omoto (Tokyo, Japan)

Electrochemical behavior of $Fe_xNb_{1-x}Se_3$ ($x=0 \sim 0.25$) with one dimensional structure as new positive electrodes for secondary lithium batteries 655
N. Kumagai, N. Kumagai and K. Tanno (Morioka, Japan)

Electrochemical reaction of doped polyacetylene with acetonitrile electrolytic solution 661
H. Sugimoto, S. Nishimura, K. Fujita, S. Matsuda (Ibaraki, Japan) and Y. Kobayashi (Tokyo, Japan)

Aluminum solid electrolytic capacitor with organic semiconductor 665
S. Niwa (Osaka, Japan)

Post polymerisation processing of conductive polymers (CP) 671
B. Wessling and H. Volk (Ahrensburg, F.R.G.)

Anisotropic conductivity of polypyrrole-polyvinylchloride conducting polymer alloy film prepared on patterned electrode 677
O. Niwa, M. Hikita and T. Tamamura (Ibaraki, Japan)

Molecular semiconductors and junction formation: phthalocyanine derivatives 683
J.J. André (Strasbourg, France), J. Simon, R. Even (Paris, France), B. Boudjema, G. Guillaud and M. Maitrot (Lyon, France)

Schottky barrier formation between polypyrrole and indium 689
S. Miyauchi, A. Fueki, Y. Kushihi, H. Abiko and Y. Sorimachi (Nagaoka, Japan)

Organic semiconducting polymers as molecular material for electronic devices 693
F. Garnier and G. Horowitz (Thiais, France)

Field-effect transistor with polythiophene thin film 699
H. Koezuka, A. Tsumura and T. Ando (Hyogo, Japan)

Photovoltaic effect of n-type polyacetylene junctions 705
A. Usuki, M. Murase and T. Kurauchi (Aichi, Japan)

Electrochemical fabrication of a polypyrrole/polythiophene p-n junction diode 711
M. Aizawa, H. Shinohara (Tokyo, Japan), T. Yamada, K. Akagi and H. Shirakawa (Tsukuba, Japan)

Electroactive polymers in thin layers: a potential application as a gas sensor 715
G. Berthet, J.P. Blanc, J.P. Germain, A. Larbi, C. Maleysson and H. Robert (Aubière, France)

Anisotropic electronic conduction of Nafion-conducting polymer hybrids .. 721
K. Shigehara, M. Hara and A. Yamada (Saitama, Japan)

Conducting polymer electrodes with high performances through anodic doping process 725
T. Iyoda, A. Ohtani, T. Shimidzu and K. Honda (Kyoto, Japan)

Structural design of polymeric solid electrolytes to increase ionic conductivity 731
M. Hara, K. Shigehara and A. Yamada (Saitama, Japan)

Electronic and optical properties of semiconducting polymers $Si_{1-x}C_xH_{2-y}$ $(1>x\geq 0)$ 735
S. Nitta, S. Nonomura, N. Kojima, R. Takagi, I. Murase, M. Sakaida and T. Gotou (Gifu, Japan)

Applications of conducting polymers as electronics and opto-electronics devices 741
K. Yoshino, K. Kaneto and S. Takeda (Osaka, Japan)

Charge-controllable polypyrrole-polyelectrolyte composite membrane 747
T. Iyoda, A. Ohtani, T. Shimidzu and K. Honda (Kyoto, Japan)

Organic electron intensifier 753
B. Jachym, G. Wisniewski and J. Witort (Gdańsk, Poland)

Resonance phenomena in nonlinear parametrically driven systems 759
M. Gitterman and D. Pfeffer (Ramat-Gan, Israel)

Effective content of the crystalline CT complex in reticulate doped polymers 765
J.K. Jeszka, A. Tracz and M. Kryszewski (Łódź, Poland)

Relation between mechanical and piezoelectrical behavior of poly(vinylidene fluoride) films 771
S.Y. Kim and D.H. Choi (Seoul, Korea)

Influence of synthetic conditions and doping-induced modifications in the structure and electrical properties of electret-forming polymers 777
M. Castiñeira, P. Soria, C. Fernandez-Sanchez, J.J. Lopez-Caminos (Alcalá de Henares, Spain), F.J. Berry, S. Jones (Birmingham, U.K.), J.C. Conesa and J.M. Palacios (Madrid, Spain)

Application of conducting polymers as catalysts for cis-trans photoisomerization of alkenes 785
S. Yanagida, M. Hanazawa, A. Kabumoto, C. Pac and K. Yoshino (Osaka, Japan)

Exciton migration and chemical reactions at dye aggregate-semiconductor interface 791
H. Hada and Y. Yonezawa (Kyoto, Japan)

Progress towards organic single-monolayer rectifiers 797
R.M. Metzger, C.A. Panetta, Y. Miura and E. Torres (Mississippi, MS, U.S.A.)

Photo-electrical studies on metal-LB film interfaces 803
T. Nakayama, K. Mizushima, S. Egusa and M. Azuma (Kawasaki, Japan)

The transport mechanism of stearic acid LB films on metal and semiconductor substrates 809
N. Gemma, K. Mizushima, A. Miura and M. Azuma (Kawasaki, Japan)

TTF-TCNQ Langmuir-Blodgett films 815
M. Fujiki and H. Tabei (Ibaraki, Japan)

Electronic conductivity of metallophthalocyanine crystal thin films 821
A. Yamada, K. Shigehara and M. Hara (Saitama, Japan)

Ion exchangers based on oxidized polymers 827
J.O. Besenhard, M. Bindl and J. Marz (Münster, F.R.G.)

Semiconductor evaluation techniques: heat pulses 833
M.I. Ismail and Y. Safar (Kuwait, Kuwait)

Heat pulse technique for evaluation of some conductive polymers 839
M.I. Ismail, R.S. Al-Ameeri and T.A. Al-Sahhaf (Kuwait, Kuwait)

Effect of surfactants on some properties of graphite-based conductive polymers 845
M.I. Ismail and A.Y. Rostom (Kuwait, Kuwait)

Superconducting properties of Chevrel-phase $PbMo_6S_8$ wires 851
Y. Kubo, K. Yoshizaki and Y. Hashimoto (Kanagawa, Japan)

One step elaboration of transparent conducting composites from poly-3 methylthiophene 857
J. Roncali, A. Mastar and F. Garnier (Thiais, France)

Electrical conductivity of organized chromophores in bilayer film 861
R. Aoki, T. Kunitake, N. Kimizuka and M. Shimomura (Fukuoka, Japan)

CONCLUDING REMARKS

Concluding remarks: conductive polymers 869
S. Roth (Stuttgart, F.R.G.)